

Work Order ID 100332***100332***

Page 1

April-22-13 1:01:54 PM

Item ID: D4009-1

Accept

N900040100

Setup

Start

NS1

Revision ID:

Item Name: Terminal End

100

100

Stop

NS2

Start Date: 5/09/13

Start Qty: 10.00

10

Cust Item ID:

Required Date: 5/09/13

Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan: MLJDate: 13-04-23

Tooling: _____

Date: _____

Run

Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D4009	A
-------	---

100	0.00
-----	------

100	0.00
-------	------

Purchasing

Memo

Purchasing

Issue P/O: 19696

Purchase Part Number: 36161

Supplier: TYCO ELECTRONICS

Certificate of conformity is required

CD 13/04/23 100

110	Receive & Inspect for Damage & Mat'l Certs	0.00
-----	--	------

110	0.00
-------	------

Packaging

Memo

Packaging

193/04/23 100

NCR: Yes / No

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order: _____			DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Part No. _____			Rework <input type="checkbox"/>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>			
NCR No. _____			Scrap <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coor. <input type="checkbox"/>	Quality <input type="checkbox"/>			
			Use-as-is <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>			
			Work Order Update <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>				
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance		Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data										
Equip/Tooling										
Operator										
Material										
Setup										
Other										
Process										
Supplier										
Training										
Unapproved										
FAULT CATEGORY										
Landing Gear				General						
				Bending <input type="checkbox"/>	Grain <input type="checkbox"/>	Ovalized <input type="checkbox"/>	Pressure/Forced <input type="checkbox"/>			
Centre Not Concentric to O/S				BOM/Route <input type="checkbox"/>	Hardware <input type="checkbox"/>	Over/Under tolerance <input type="checkbox"/>	Temperature/Cure <input type="checkbox"/>			
Cracks <input type="checkbox"/>				Broken/Damaged <input type="checkbox"/>	Inspection Incomplete <input type="checkbox"/>	Part Incorrect <input type="checkbox"/>	Weld <input type="checkbox"/>			
Crushed/Crimped <input type="checkbox"/>				Burrs <input type="checkbox"/>	Instructions Incomplete/Unclear <input type="checkbox"/>	Part Lost/Missing <input type="checkbox"/>	Wrong Stock Pulled <input type="checkbox"/>			
Cuffs <input type="checkbox"/>				Contamination <input type="checkbox"/>	Maintenance <input type="checkbox"/>	Part Moved <input type="checkbox"/>				
Heat Treat <input type="checkbox"/>				Countersink <input type="checkbox"/>	Mislabeled <input type="checkbox"/>	Positioned Wrong <input type="checkbox"/>				
Inspection Strip in Tube <input type="checkbox"/>				Cut Too Short <input type="checkbox"/>	Misread <input type="checkbox"/>	Power Loss/Surge <input type="checkbox"/>	Other <input type="checkbox"/>			
Ripples in Bend <input type="checkbox"/>				Drill Holes <input type="checkbox"/>	Offset <input type="checkbox"/>					
Torque Waves in Extrusion <input type="checkbox"/>				Drawing <input type="checkbox"/>	Out of Calibration <input type="checkbox"/>					
Turning Sequence <input type="checkbox"/>				Finish <input type="checkbox"/>	Out of Sequence <input type="checkbox"/>					
Wave/Twist in Tube <input type="checkbox"/>				Folio <input type="checkbox"/>	Outside Dimensions <input type="checkbox"/>					

Work Order ID 100332

April-22-13 1:01:54 PM

100332

Page 2

Item ID: D4009-1

Accept

N900040100

Setup

Start

NS1

Revision ID:

Item Name: Terminal End

Stop

NS2

Start Date: 5/09/13

Start Qty: 10.00

10

Cust Item ID:

Required Date: 5/09/13

Req'd Qty: 10.00

10

Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run

Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

120

QC6- Inspect dimensions to drawing

0.00

0.00
0.21
0.06

100

120

QC

Quality Control

Memo

0.00

0.00
13.57

130

Identify as per dwg & Stock Location: ST

0.00

SB
13/05/07

130

Packaging

Packaging

Memo

0.00

100

140

QC21- Final Inspection - Work Order Release

0.00

13/5/14/08

140

QC

Quality Control

Memo

0.00

QB05/1

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____			DISPOSITION		AGAINST DEPARTMENT/PROCESS										
			Rework	<input type="checkbox"/>	Skid-tube	<input type="checkbox"/>	Crosstube	<input type="checkbox"/>	Water Jet	<input type="checkbox"/>	Engineering				
			Scrap	<input type="checkbox"/>	Machining	<input type="checkbox"/>	Small Fab	<input type="checkbox"/>	Prod. Eng. Coor.	<input type="checkbox"/>	Quality				
			Use-as-is	<input type="checkbox"/>	Thermoforming	<input type="checkbox"/>	Finishing	<input type="checkbox"/>	Rec/Store/Packaging	<input type="checkbox"/>	Other				
			Work Order Update	<input type="checkbox"/>	Large Fab	<input type="checkbox"/>	Composite	<input type="checkbox"/>	Supplier	<input type="checkbox"/>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance		Initial Chief Eng	Action Description		Sign & Date	Verification	QC Inspector				
Doc/Data															
Equip/Tooling															
Operator															
Material															
Setup															
Other															
Process															
Supplier															
Training															
Unapproved															
FAULT CATEGORY															
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube				General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio				<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions				<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled	

Picklist Print

April-22-13 1:01:53 PM

Page 1

Work Order ID: 100332**Parent Item:** D4009-1**Parent Item Name:** Terminal End**Start Date:** 5/09/13**Required Date:** 5/09/13**Start Qty:** 10.00**Required Qty:** 10.00**Comments:** IPP rev A 09.12.23 new Issue Prelim EC verified by: DD IPP Rev:B 10.05.03 as per ECN10-562 DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
36161 terminal end		Purchased	No			110	Each	0.0000	1	10			

NCR: Yes / No


DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order: _____			DISPOSITION			AGAINST DEPARTMENT/PROCESS								
Part No. _____			Rework <input type="checkbox"/>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>							
NCR No. _____			Scrap <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coor. <input type="checkbox"/>	Quality <input type="checkbox"/>							
			Use-as-is <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>							
			Work Order Update <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>								
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance		Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector				
Doc/Data														
Equip/Tooling														
Operator														
Material														
Setup														
Other														
Process														
Supplier														
Training														
Unapproved														
FAULT CATEGORY														
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube				General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions				<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled	

ITEM NO	QTY	PART NUMBER	DESCRIPTION	JOHN CAMERON AVIATION PART NUMBER
	X	D4009-041	BONDING BRAID	JCA-M47-4-01
2	2	D4009-1	TERMINAL END	
3	1	D4009-3	GROUND STRAP	
4	1	D4009-5	GROUND STRAP	
5	1	D4009-7	TAB	
6	1	D4009-9	RECEPTACLE	



D4009-041 BONDING BRAID

RELEASED
2010-05-05
MLC

A	NEW ISSUE	10.02.05
REV.	DESCRIPTION	BY DATE
DESIGN	<i>AS</i>	
DRAWN	<i>AS</i>	
CHECKED	<i>AS</i>	
MFG. APPR.	<i>AS</i>	
APPROVED	<i>AS</i>	
DE APPR.	<i>AS</i>	
DATE	10.02.05	

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D4009 REV. A
SHEET 1 OF 5

TITLE GROUND STRAP NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4009-041" AND B/N USING D2729-1 LABEL INSTALLED WITH D2182-045 HEAT SHRINK
- 7) WEIGHT: N/A
- 8) USE CRIMPING TOOL P/N 59824-1

8 1 7 4 6 1 5 1 4 1 3 1 2 1 1

100382

DART AEROSPACE
PART NUMBER: JOHN CAMPION AVIATION
PART NUMBER: 1
1009-1
REV. A 05/05/2010

SPECIFICATION CONTROL DRAWING



DART PART NUMBER	SUPPLIER	SUPPLIER PART NUMBER	MILITARY PART NUMBER	INSTALLATION TOOL PART NUMBER
D4009-1	TYCO ELECTRONICS	36161	MS25036-112	59824-1

D4009-X TERMINAL END

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

8 1 7 1 6 1 5 1 4 1 3 1 2 1 1

DESIGN	<i>AS</i>	DART AEROSPACE LTD	
DRAWN	<i>AS</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>BB</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>EE</i>	D4009	SHEET 2 OF 5
APPROVED	<i>MO</i>	TITLE	SCALE
DE APPR.	<i>MM</i>	GROUND STRAP	NTS
DATE	10.02.05	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DART AEROSPACE
PART NUMBER

JOHN CAV. RUM AVIATION
PART NUMBER

1000

ASME B18.1-2002

1000

1000

SPECIFICATION CONTROL DRAWING



DART PART NUMBER	LENGTH "L"
D4009-3	1.5
D4009-5	13.5

D4009-X GROUND STRAP

RELEASED
2010-05-05
MAP

NOTES:


- 1) MATERIAL: MADE FROM AVIALL P/N 1171 (OR SEA-171) OR C.O.R.E. AVIATION P/N QQ8575R36T250
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

8 7 6 5 4 3 2 1

DESIGN	<i>AS</i>	DART AEROSPACE LTD	
DRAWN	<i>AS</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>AS</i>	DRAWING NO.	REV. A
MFG. APPR.	<i>AS</i>	D4009	SHEET 3 OF 5
APPROVED	<i>AS</i>	TITLE	SCALE
DE APPR.	<i>AS</i>	GROUND STRAP	INTS
DATE	10.02.05	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

10032

SPECIFICATION CONTROL DRAWING



DART PART NUMBER	SUPPLIER	SUPPLIER PART NUMBER	INSTALLATION TOOL PART NUMBER
D4009-7	TYCO ELECTRONICS C.O.R.E. AVIATION	8-696372-1	59824-1


D4009-X TAB

RELEASED
2010-05-05
W

NOTES:
 1) MATERIAL: N/A
 2) FINISH: N/A
 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 5) BREAK SHARP EDGES: N/A
 6) IDENTIFICATION: N/A
 7) WEIGHT: N/A

8 7 6 5 4 3 2 1

DESIGN	<i>AB</i>	DART AEROSPACE LTD
DRAWN	<i>AB</i>	HAWKESBURY, ONTARIO, CANADA
CHECKED	<i>AB</i>	DRAWING NO.
MFG. APPR.	<i>AB</i>	REV. A
APPROVED	<i>AB</i>	SHEET 4 OF 5
DE APPR.	<i>AB</i>	TITLE
DATE	10.02.05	SCALE
		NTS
GROUND STRAP		
COPYRIGHT © 2010 BY DART AEROSPACE LTD		
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMPLICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		

SPECIFICATION CONTROL DRAWING

DART PART NUMBER	SUPPLIER	SUPPLIER PART NUMBER	INSTALLATION TOOL PART NUMBER
D4009-9	TYCO ELECTRONICS C.O.R.E. AVIATION	8-696371-1	59824-1

D4009-X RECEPTACLE

RELEASED
2010-05-05
M

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

8 1 7 1 6 1 5 1 4 1 3 2 1 1

DESIGN	<i>AS</i>	DART AEROSPACE LTD	
DRAWN	<i>AS</i>	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>AS</i>	DRAWING NO. REV. A	
MFG. APPR.	<i>AS</i>	D4009 SHEET 5 OF 5	
APPROVED	<i>AS</i>	TITLE SCALE	
DE APPR.	<i>AS</i>	GROUND STRAP NTS	
DATE	10.02.05	COPRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO19696**

Purchase Order Date 4/25/13

PO Print Date 4/25/13

Page Number 2 of 2

Order From : VC-NEW002

NEWARK
C/O T27537 P.O.BOX 4275
POSTAL STATION "A"
TORONTO, ONTARIO M5W 5V8
CANADA

Contact Name	Buyer	Chantal Lavoie
Vendor Phone	Requisition Nbr	
Vendor Fax	Tax Resale Nbr	10127-2607
Vendor Account Nbr	Terms	Net 30
	Currency	CAD
	FOB	Destination-Collect

5	MTA106D	GAUGE MASTER SWITCH	4/29/13	5.00	FedEx PI collect	\$5.1500	\$25.75
---	---------	---------------------	---------	------	------------------	----------	---------

Yes Each

6	36161	terminal end	4/29/13	100.00	FedEx PI collect	\$0.3880	\$38.80
---	-------	--------------	---------	--------	------------------	----------	---------

Yes Each

Special Notes: AS PER DWG D4009 REV. A
B100332

PO Total: \$289.41

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 1

Change Date: 4/25/13



element14

Master Packing List

Orders: 1-800-463-9275
 Cust Service: 1-866-752-9279
www.element14.com
www.newark.com

Customer PO: PO19696


Canada

Rel.:

Order #: 377455
 Number of Cartons: 1
 Number of Lines: 6
 Ship Date: 4/25/2013
 Bill-To Acct: V1 659740001
 Ship-To Acct:

Ship To:
 PO#19696
 DART AEROSPACE LTD
 1270 ABERDEEN ST
 HAWKESBURY ON K6A 1K7 Canada


Sold To:
 CHANTAL LAVOIE
 16136325200
 clavoie@dartaero.com

Bill To:
 Dart Aerospace Ltd
 Accounts Payable
 1270 Aberdeen St
 Hawkesbury ON K6A 1K7 CA

Ord Line	Cust PO Line	SKU #	UOM	Order Qty	Shipped Qty	Previous Shipped Qty	Back Ordered Qty	RoHS Yes
5	5	69K7015	EA/1	5	5	0	0	Yes

Mfr part# MTA106D
 Customers part#
 TOGGLE SWITCH; SPDT, 6A, 125VAC; Contact Configuration:SPDT; Switch Operation:On-Off; Contact Voltage AC Nom:125V; Contact Voltage DC Nom:28V; Contact Current Max:6A; Actuator Style:Bar; Switch Mounting:Panel; Mounting Type:Solder Lug

Mfr Name TE CONNECTIVITY / ALCOSWITCH
 Country of Origin JP

Customer Part# 

Shipped Qty 

6	6	20C8725	EA/1	100	100	0	0	Yes

Mfr part# 36161
 Customers part# 36161
 TERMINAL, RING TONGUE, #10, CRIMP YELLOW; Connector Type:Ring Tongue; Series:PIDG; Insulator Color:Yellow; Termination Method:Crimp; Stud/Tab Size:#10; Wire Size AWG Min:12AWG; Wire Size AWG Max:10AWG; Contact Material:Copper

Mfr Name TE CONNECTIVITY / AMP
 Country of Origin US


Customer Part# 

Shipped Qty 


Yes = RoHS Compliant. YesX = Compliant per exemption. See our website www.newark.com for definition of RoHS compliance. Newark is a distributor of electronic products manufactured by others. The Country of Origin data on the packing list has been provided by the manufacturer and Newark is not responsible for the accuracy

Certificate of Conformance on Reverse Side

Order Line Cust PO Line

5	5	MFR# MTA106D	Part: 
TOGGLE SWITCH, SPDT, 6A, 125VAC; Contact Configuration:SPDT; Switch Operation:On-Off; Contact Voltage AC Nom:125V; Contact Voltage DC Nom:28V; Contact Current Max:6A; Actuator Style:Bar; Switch Mounting:Panel; Mounting			
		SKU: 69K7015	
RoHS: Yes			
6	6	MFR# 36161	Part: 36161 
TERMINAL, RING TONGUE, #10, CRIMP YELLOW; Connector Type:Ring Tongue; Series:PIDG; Insulator Color:Yellow; Termination Method:Crimp; Stud/Tab Size:#10; Wire Size AWG Min:12AWG; Wire Size AWG Max:10AWG; Contact Material:Copper			
		SKU: 20C8725	

To insure proper credit to your account, please contact
 Customer Service at 866-752-9279 for issuance of RMA number



element14

To: _____

Order #: 377455

Date shipped: _____

RMA #: _____

Reason for Return

NWY 282